

Notice of Allowability

Application No.

10/068,000

Examiner

CongVan Tran

Applicant(s)

WILLARS ET AL.

Art Unit

2683

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 2-20, 22-40, 42-57, 59-74 have been renumbered to 1-70 respectively.
3. ☒ The drawings filed on 08 February 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

CongVan Tran
Primary Examiner
Art Unit: 2683

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Warren Burnam, Jr. on Aug. 26, 2005.

The application has been amended as follows:

1. (Cancelled)

2. (Currently Amended) For use in a radio access network of a first operator network having cells which are eligible for utilization by a user equipment unit (UE) which is in a connected mode and which subscribes to a second operator network, a method comprising:

designating as a restricted cell any cell of the first operator network for which the second operator network has a competing cell;

rejecting attempted utilization by the user equipment unit (UE) which subscribes to the second operator network of the restricted cell~~The method of claim 1, ;~~

wherein, with respect to the user equipment unit (UE) which subscribes to the second operator network, the step of rejecting comprises rejecting one of (1) handover to the restricted cell, and (2) cell/URA updating by the user equipment unit (UE) via the restricted cell.

3. (Original) The method of claim 2, wherein the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

4. (Original) The method of claim 2, wherein when the second operator network attempts to perform a handover to a target cell of the first operator network with respect to the user equipment unit (UE) which subscribes to the second operator network, the method further comprises:

obtaining an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

using the IMSI to determine at the first operator network whether the target cell is a restricted cell; and if so;

rejecting the handover.

5. (Original) The method of claim 4, further comprising:

obtaining the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of an initiating operator network;

determining at a controlling radio network controller (CRNC) of the first operator network whether the target cell is a restricted cell

6. (Original) The method of claim 5, wherein the user equipment unit (UE) is in a cell_DCH state, further comprising obtaining the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a RL SETUP REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

7. (Original) The method of claim 5, wherein the step of determining at the controlling radio network controller (CRNC) of the first operator network whether the target cell is a restricted cell comprises:

obtaining a operator network code from the IMSI of the user equipment unit (UE);
consulting a table maintained by the controlling radio network controller (CRNC) to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

8. (Original) The method of claim 2, wherein when an initiating operator network attempts to perform moveover of a SRNC role to a radio network controller (RNC) of the first operator network, the method further comprises:

obtaining, from a core network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

determining at the first operator network whether the target cell is a restricted cell; and if so;

notifying the core network that the moveover is rejected.

9. (Original) The method of claim 8, further comprising obtaining the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell in a RELOCATION REQUEST message from the core network.

10. (Original) The method of claim 8, further comprising determining at a controlling radio network controller (CRNC) of the first operator network whether the target cell is a restricted cell

11. (Original) The method of claim 10, wherein the step of determining at the controlling radio network controller (CRNC) of the first operator network whether the target cell is a restricted cell comprises:

obtaining a PLMN code from the IMSI of the user equipment unit (UE);

consulting a table maintained by the controlling radio network controller (CRNC) to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

12. (Original) The method of claim 8, wherein the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

13. (Original) The method of claim 2, wherein when the user equipment unit (UE) attempts to perform a cell/URA update relative to a target cell of the first operator network, the method further comprises:

- obtaining an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

- determining at the first operator network whether the target cell is a restricted cell; and if so;

- rejecting the update is rejected.

14. (Original) The method of claim 13, further comprising:

- obtaining the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of an initiating operator network;

- determining at a controlling radio network controller (CRNC) of the first operator network whether the target cell is a restricted cell

15. (Original) The method of claim 14, wherein the user equipment unit (UE) is in one of a cell_FACH state and a cell_PCH state, and further comprising obtaining the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a COMMON TRANSPORT CHANNEL RESOURCES REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

16. (Original) The method of claim 14, wherein the step of determining at the controlling radio network controller (CRNC) of the first operator network whether the target cell is a restricted cell comprises:

- obtaining a PLMN code from the IMSI of the user equipment unit (UE);

- consulting a table maintained by the controlling radio network controller (CRNC) to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

17. (Original) The method of claim 14, further comprising generating a message which rejects the cell update and advises that the cell is restricted.

18. (Currently Amended) The method of claim 12, wherein the attempted utilization by the user equipment unit (UE) which subscribes to the second operator network of the restricted cell is an attempted cell reselection by the user equipment unit (UE), and further comprising transmitting an identification of the restricted cell from the first operator network to the user equipment unit (UE).

19. (Original) The method of claim 18, further comprising transmitting the identification of the restricted cell from the first operator network to the user equipment unit (UE) upon an attempted location registration by the user equipment unit (UE).

20. (Original) The method of claim 18, further comprising transmitting the identification of the restricted cell from the first operator network to the user equipment unit (UE) when transmitting a message to the user equipment unit (UE) which rejects an attempted cell update by the user equipment unit (UE).

21. (Cancelled).

22. (Currently Amended) A radio access network of a first operator network having cells which are eligible for utilization by a user equipment unit (UE) which is in a connected mode and which subscribes to a second operator network; the network comprising:

means for designating as a restricted cell any cell of the first operator network for which the second operator network has a competing cell;

means for rejecting attempted utilization by the user equipment unit (UE) which subscribes to the second operator network of the restricted cell;~~The apparatus of claim 21,~~

wherein with respect to the user equipment unit (UE) which subscribes to the second operator network, the means for rejecting rejects one of (1) handover to the

restricted cell, and (2) cell/URA updating by the user equipment unit (UE) via the restricted cell.

23. (Original) The apparatus of claim 22, wherein the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

24. (Original) The apparatus of claim 22, wherein an initiating operator network attempts to perform a handover to a target cell of the first operator network with respect to the user equipment unit (UE) which subscribes to the second operator network, the apparatus further comprises:

means for obtaining, from the initiating operator network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

means for using the IMSI to determine at the first operator network whether the target cell is a restricted cell; and if so;

means for rejecting the handover.

25. (Original) The apparatus of claim 24, wherein the means for obtaining obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of the initiating operator network, and wherein the means for using the IMSI to determine whether the target cell is a restricted cell is situated at a controlling radio network controller (CRNC) of the first operator network.

26. (Original) The apparatus of claim 25, wherein the user equipment unit (UE) is in a cell_DCH state, and wherein the means for obtaining obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a RL SETUP REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

27. (Original) The apparatus of claim 25, wherein the means for using the IMSI to determine whether the target cell is a restricted cell comprises:

- means for obtaining a PLMN code from the IMSI of the user equipment unit (UE);
- a table maintained by the controlling radio network controller (CRNC) which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

28. (Original) The apparatus of claim 22, wherein an initiating operator network attempts to perform relocation of a SRNC role to a radio network controller (RNC) of the first operator network, and wherein the apparatus further comprises:

- means for obtaining, from a core network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;
- means for determining at the first operator network whether the target cell is a restricted cell; and if so;
- means for notifying the core network that the relocation is rejected.

29. (Original) The apparatus of claim 28, wherein the means for obtaining obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell in a RELOCATION REQUEST message from the core network.

30. (Original) The apparatus of claim 28, wherein the means for determining is situated at a controlling radio network controller (CRNC) of the first operator network.

31. (Original) The apparatus of claim 30, wherein the means for determining whether the target cell is a restricted cell comprises:

- means for obtaining a PLMN code from the IMSI of the user equipment unit (UE);
- a table maintained by the controlling radio network controller (CRNC) which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

32. (Original) The apparatus of claim 28, wherein the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

33. (Original) The apparatus of claim 22, wherein the user equipment unit (UE) attempts to perform a cell/URA update with respect to a target cell of the first operator network, and wherein the apparatus further comprises:

- means for obtaining, from an initiating operator network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

- means for determining at the first operator network whether the target cell is a restricted cell; and if so;

- means for providing a notification that the update is rejected.

34. (Original) The apparatus of claim 33, wherein the means for obtaining obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of the second operator network; and wherein the means for determining is situated at a controlling radio network controller (CRNC) of the first operator network.

35. (Original) The apparatus of claim 34, wherein the user equipment unit (UE) is in one of a cell_FACH state and a cell_PCH state, and wherein the means for obtaining obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a COMMON TRANSPORT CHANNEL RESOURCES REQUEST message issued by the source radio network controller (SRNC) of the second operator network.

36. (Original) The apparatus of claim 34, wherein the means for determining whether the target cell is a restricted cell comprises:

- means for obtaining a PLMN code from the IMSI of the user equipment unit (UE);

a table maintained by the controlling radio network controller (CRNC) which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

37. (Original) The apparatus of claim 34, further comprising means for generating a message which rejects the update and advises that the target cell is restricted.

38. (Currently Amended) The apparatus of claim ~~21~~22, wherein the attempted utilization by the user equipment unit (UE) which subscribes to the second operator network of the restricted cell is an attempted cell reselection by the user equipment unit (UE), and further comprising means for transmitting an identification of the restricted cell from the first operator network to the user equipment unit (UE).

39. (Original) The apparatus of claim 38, wherein the means for transmitting the identification of the restricted cell from the first operator network to the user equipment unit (UE) transmits upon an attempted location registration by the user equipment unit (UE).

40. (Original) The apparatus of claim 38, wherein the means for transmitting the identification of the restricted cell from the first operator network to the user equipment unit (UE) transmits the identification of the restricted cell when transmitting a message to the user equipment unit (UE) which rejects an attempted cell update by the user equipment unit (UE).

41. (Cancelled)

42. (Currently Amended) A radio access network of a first operator network, the network comprising:

at least one base station having a radio frequency signal monitored by a user equipment unit (UE), the user equipment unit (UE) being in a connected mode and subscribing to a second operator network;

a control node which controls the at least one base station;
a PLMN filter which rejects attempted utilization, by the user equipment unit (UE)
which subscribes to the second operator network, of a restricted cell of the first operator
network, the restricted cell being a cell of the first operator network for which the second
operator network has a competing cell.~~The apparatus of claim 41,~~

wherein with respect to the user equipment unit (UE) which subscribes to the second operator network, the PLMN filter rejects one of (1) handover to the restricted cell, and (2) cell/URA updating by the user equipment unit (UE) via the restricted cell.

43. (Original) The apparatus of claim 42, wherein PLMN filter operates when the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

44. (Original) The apparatus of claim 42, wherein when an initiating operator network attempts to perform a handover to a target cell of the first operator network with respect to the user equipment unit (UE) which subscribes to the second operator network, the PLMN filter:

obtains, from the initiating operator network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

uses the IMSI to determine at the first operator network whether the target cell is a restricted cell; and if so;

notifies the initiating operator network that the handover is rejected.

45. (Original) The apparatus of claim 44, wherein the PLMN filter obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of the initiating operator network, and wherein the PLMN filter uses the IMSI to determine whether the target cell is a restricted cell is situated at a controlling radio network controller (CRNC) of the first operator network.

46. (Original) The apparatus of claim 45, wherein the user equipment unit (UE) is in a cell_DCH state, and wherein the PLMN filter obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a RL SETUP REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

47. (Original) The apparatus of claim 45, wherein the PLMN filter obtains a PLMN code from the IMSI of the user equipment unit (UE); and wherein the PLMN filter comprises a table which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

48. (Original) The apparatus of claim 42, wherein when the initiating operator network attempts to perform moveover of a SRNC role to a radio network controller (RNC) of the first operator network, the PLMN filter:

obtains, from a core network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;
determines whether the target cell is a restricted cell; and if so;
notifies the core network that the moveover is rejected.

49. (Original) The apparatus of claim 48, wherein the PLMN filter obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell in a RELOCATION REQUEST message from the core network.

50. (Original) The apparatus of claim 48, wherein the PLMN filter is situated at a controlling radio network controller (CRNC) of the first operator network.

51. (Original) The apparatus of claim 50, wherein the PLMN filter obtains a PLMN code from the IMSI of the user equipment unit (UE); and wherein the PLMN filter comprises a table which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

52. (Original) The apparatus of claim 48, wherein the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

53. (Original) The apparatus of claim 42, wherein when the user equipment unit (UE) attempts to perform a cell/URA update with respect to a target cell of the first operator network, the PLMN filter:

- obtains an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

- determines whether the target cell is a restricted cell; and if so;

- provides a notification that the update is rejected.

54. (Original) The apparatus of claim 53, wherein the PLMN filter obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of an initiating operator network; and wherein the PLMN filter is situated at a controlling radio network controller (CRNC) of the first operator network.

55. (Original) The apparatus of claim 54, wherein the user equipment unit (UE) is in one of a cell_FACH state and a cell_PCH state, and wherein the PLMN filter obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a COMMON TRANSPORT CHANNEL RESOURCES REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

56. (Original) The apparatus of claim 54, wherein the PLMN filter obtains a PLMN code from the IMSI of the user equipment unit (UE); and wherein the PLMN filter comprises a table which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

57. (Original) The apparatus of claim 54, wherein the PLMN filter generates a message which rejects the update and advises that the target cell is restricted.

58. (Cancelled)

59. (Currently Amended) A control node of a radio access network of a first operator network which rejects attempted utilization, by a user equipment unit (UE) which subscribes to the second operator network, of a restricted cell of the first operator network, the restricted cell being a cell of the first operator network for which the second operator network has a competing cell~~The apparatus of claim 58;~~

wherein with respect to the user equipment unit (UE) which subscribes to the initiating operator network, the control node rejects one of (1) handover to the restricted cell, and (2) cell/URA updating by the user equipment unit (UE) via the restricted cell.

60. (Original) The apparatus of claim 59, wherein the control node rejects the attempted utilization when the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

61. (Original) The apparatus of claim 59, wherein when an initiating operator network attempts to perform a handover to a target cell of the first operator network with respect to the user equipment unit (UE) which subscribes to the second operator network, the control node:

obtains an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

uses the IMSI to determine at the first operator network whether the target cell is a restricted cell; and if so;

notifies the initiating operator network that the handover is rejected.

62. (Original) The apparatus of claim 61, wherein the control node obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of the

initiating operator network, and wherein the control node uses the IMSI to determine whether the target cell is a restricted cell is situated at a controlling radio network controller (CRNC) of the first operator network.

63. (Original) The apparatus of claim 62, wherein the user equipment unit (UE) is in a cell_DCH state, and wherein the control node obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a RL SETUP REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

64. (Original) The apparatus of claim 62, wherein the control node obtains a PLMN code from the IMSI of the user equipment unit (UE); and wherein the control node has a table which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

65. (Original) The apparatus of claim 59, wherein when an initiating operator network attempts to perform relocation of a SRNC role to a radio network controller (RNC) of the first operator network, the control node:

obtains, from a core network, an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;
determines whether the target cell is a restricted cell; and if so;
notifies the core network that the relocation is rejected.

66. (Original) The apparatus of claim 65, wherein the control node obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell in a RELOCATION REQUEST message from the core network.

67. (Original) The apparatus of claim 65, wherein the control node is a controlling radio network controller (CRNC) of the first operator network.

68. (Original) The apparatus of claim 67, wherein the control node obtains a PLMN code from the IMSI of the user equipment unit (UE); and wherein the control node comprises a table which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

69. (Original) The apparatus of claim 65, wherein the user equipment unit (UE) is in one of a cell_DCH state, a cell_FACH state, a cell_PCH state, and a URA_PCH state.

70. (Original) The apparatus of claim 59, wherein when the user equipment unit (UE) attempts to perform a cell/URA update relative to a target cell of the first operator network, the control node:

- obtains an international mobile subscriber identity (IMSI) of the user equipment unit (UE) and an identification of the target cell;

- determines whether the target cell is a restricted cell; and if so;

- provides a notification that the update is rejected.

71. (Original) The apparatus of claim 70, wherein the control node obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a source radio network controller (SRNC) of an initiating operator network; and wherein the control node is a controlling radio network controller (CRNC) of the first operator network.

72. (Original) The apparatus of claim 71, wherein the user equipment unit (UE) is in one of a cell_FACH state and a cell_PCH state, and wherein the control node obtains the international mobile subscriber identity (IMSI) of the user equipment unit (UE) and the identification of the target cell from a COMMON TRANSPORT CHANNEL RESOURCES REQUEST message issued by the source radio network controller (SRNC) of the initiating operator network.

73. (Original) The apparatus of claim 71, wherein the control node obtains a PLMN code from the IMSI of the user equipment unit (UE); and wherein the control

Art Unit: 2683

node comprises a table which is consulted to determine whether the target cell is eligible for handover for the user equipment unit (UE) on the basis of the obtained PLMN code.

74. (Original) The apparatus of claim 71, wherein the control node generates a message which rejects the update and advises that the target cell is restricted.

75. (Cancelled)

76. (Cancelled)

77. (Cancelled)

78. (Cancelled)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CongVan Tran whose telephone number is 571-272-7871. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on 571-272-7872. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



CONGVAN TRAN
PRIMARY EXAMINER

CongVan Tran
Primary Examiner
Art Unit 2683

Aug. 26, 2005.